



PRODUCT NUMBER: 23-7518B

Honeywell CoreShield™

Gloves - 23-7518B

CoreShield, 18 gauge nylon black liner, nitrile micro-foam black coating, A3/C



Overview

Reference Number

23-7518B

Product Type

Gloves

Line

Cut resistant

Brand

Honeywell

- Industry
- Automotive and Part Manufacturer

• Building and Construction

• Glass Industries

• Logistics

• Metal steel

Features & Benefits

Feature

CoreShield™ Engineered Yarn

Benefit

One of the lightest cut-protective gloves in the market, help to prevent hand fatigue for workers who need to wear them all day long. Skin-friendly yarns that reduce allergy and provide excellent dexterity

Feature

CoreShield™ High Performance Micro-Foam Nitrile coating

Benefit

provides 360° breathability, excellent grip performance, abrasion resistance for x2 durability, reduced hand fatigue and excellent dexterity.

Feature

Color-coded marking system

Benefit

For easy gloves selection you need for your application

Feature

Thumb reinforcement



- Benefit**
For greater wear resistance and extended product life
- Feature**
Washable
- Benefit**
Reduced cost of ownership
- Feature**
Hand and wrist protection
- Benefit**
A longer cuff ensures wrist protection
- Feature**
Touchscreen resistive and capacitive
- Benefit**
To operate touch panels of industrial machines and smartphone touchscreens without taking their gloves off
- Feature**
Gauge 18
- Benefit**
for an extraordinary fit/dexterity

Technical Description

- Description**
CoreShield, 18 gauge nylon black liner, nitrile micro-foam black
- Product Technology**
Correshield Engineered yarn and high performance micro-foam Nitrile coating
- Fiber**
Basalt, Nylon
- Gauge**
18
- Glove/liner color**
Black
- Coating Type**
Nitrile micro-foam
- Coating Color**
Black
- Length**
255mm size 9
- Sizes**
6XS - 11XXL

EN 407 - Heat and/or Fire

Behaviour and/or fire	X
Resistance to contact heat	1
Resistance to convective heat	X
Resistance to radiant heat	X
Resistance to small metal splashes	X
Resistance to molten metal splashes	X

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
---------------------	---



Cutting resistance (Coupe test)	X
Tear resistance	4
Puncture resistance	2
Cutting resistance (TDM test)	C

ASTM D3389-05

ANSI Level Abrasion Resistance	6
--------------------------------	---

ASTM F1790-97

ANSI Level Cut Resistance	A3
---------------------------	----

Packaging Label

UOM
Pairs

Literature & Documents

CoreShield Micro foam Data Sheet UK
http://www.honeywellsafety.com/supplementary/documents_and_downloads/secured/gloves/4295003580/1033.aspx

Packaging

Unit of Measure
PAA
Quantity per Box/Pack/Case
10
Quantity per Carton
100
Quantity for Minimum Order
100
Country of Origin
China



LIMA
Cal. Huayucan 172 Coop. 27 de Abril - Ate
AREQUIPA
Cal. Las Orquídeas 204-206 Urb. Primavera - Yanahuara
LA LIBERTAD
Av Teodoro Valcárcel 784-786 - Trujillo

Central Telefonica
01 624 3435

ventas@imrecard.com