



PRODUCT NUMBER: NF11HD

Cold Grip - NF11HD

Handling in cold conditions of damp, oily or greasy parts. Ideally suited to tasks where workers need protection from the cold, but don't want to give up comfort and dexterity.

Honeywell

Overview

Reference Number

NF11HD

Product Type

Gloves

Range

Thermal Protection

Line

Cold Protection

Brand

Honeywell

Brand formerly known as

NORTH

Industry

• Building and Construction

• General Industry

• Green Spaces

• Logistics

• Maintenance

• Offshore

Product Use

Handling in cold conditions of damp, oily or greasy parts. Ideally suited to tasks where workers need protection from the cold, but don't want to give up comfort and dexterity.

Features & Benefits

Feature

Blue polyamide knitted glove 3/4 Black foam PVC HPT (hydropellent technology) coating Seamless brushed synthetic liner Elastic knitted wrist

Benefit

COMFORT The ergonomic seamless knit construction conforms better to the natural shape of the hand for greater strength and durability, superior comfort. Encapsulated air molecules provide a vibration absorption feature Coating won't stiffen when cold, so glove retains its flexibility RESISTANCE The Polyamide yarn reduces linting for the most sensitive applications and can be easily laundered for extended use. The foam PVC HPT is a soft, durable and flexible coating that repels liquids to provide a firm wet or dry grip. You need less pressure to handle an oily piece. It also provides an



excellent abrasion resistance equal to heavier gloves. The 7 gauge brushed synthetic liner ensures superior insulation from the cold down to -20°C. HYGIENE The dark colors make the glove less dirty.

Technical Description

- Description**  
Blue polyamide knitted glove 3/4 Black foam PVC HPT (hydropellent technology) coating Seamless brushed synthetic liner Elastic knitted wrist
- Product Technology**  
Knitted dipped
- Gauge**  
15 outer glove 7 inner glove
- Glove/liner color**  
Blue / black
- Coating Type**  
PVC HPT
- Length**  
25 cm
- Harmlessness**  
In conformity with the European standards.
- Dexterity**  
Class 5
- Sizes**  
9L, 10XL, 11XXL

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	2
Cutting resistance (Coupe test)	2
Tear resistance	3
Puncture resistance	1
Cutting resistance (TDM test)	X

EN 511- Protection in cold temperatures:

Resistance to conductive cold	X
Resistance to contact cold	2
Water permeability	X

Certifications

- EU Category PPE**  
2
- EU Certification**  
0075/797/162/06/18/1061

Additional Information



Maintenance

Storage Information

Minimum packaging : 12 pairs. Cartons of 72 pairs.

Care Instructions

This article can be cleaned. For cleaning instructions, please contact Honeywell safety products.

